



















Research Overview			
CPS has had a positive impact in multiple settings:			
:	Inpatient Residential Outpatient Juvenile Detention	Schools In-Home Therapy	
CPS is associated with the following outcomes:			
Û	Challenging behaviors & ODD/ADHD symptoms		
₽	Restrictive interventions (e.g., physical restraint) & other traditional punishments		
仑	Caregiver wellbeing		
Û	Youth and caregiver skills		
ڻ 11	Youth satisfaction with care received	See Pollastri, Epstein, H	eath, & Ablon (2013), Harvard Review of Psychiatry











![](_page_3_Picture_1.jpeg)

![](_page_3_Figure_2.jpeg)

![](_page_3_Figure_3.jpeg)

![](_page_4_Figure_1.jpeg)

![](_page_4_Figure_2.jpeg)

![](_page_4_Figure_3.jpeg)

![](_page_4_Figure_4.jpeg)

![](_page_4_Figure_5.jpeg)

![](_page_5_Picture_1.jpeg)

![](_page_5_Picture_2.jpeg)

![](_page_5_Picture_3.jpeg)

![](_page_5_Picture_4.jpeg)

![](_page_5_Picture_5.jpeg)

![](_page_6_Figure_1.jpeg)

![](_page_6_Figure_2.jpeg)

![](_page_6_Figure_3.jpeg)

![](_page_6_Figure_4.jpeg)

![](_page_6_Figure_5.jpeg)

![](_page_6_Picture_6.jpeg)

![](_page_7_Figure_1.jpeg)

![](_page_7_Figure_2.jpeg)

![](_page_7_Figure_3.jpeg)

![](_page_7_Figure_4.jpeg)

![](_page_7_Figure_5.jpeg)

![](_page_7_Figure_6.jpeg)

![](_page_8_Picture_1.jpeg)

![](_page_8_Picture_2.jpeg)

![](_page_8_Figure_3.jpeg)

![](_page_8_Figure_4.jpeg)

f S R www.thinkkids.org

## Remote Training during COVID Think: Kids 🚭

- What is lost with no in-person contact?
- What barriers to access still exist?
- Can cost be further reduced by shifting to more asynchronous teaching?

www.thinkkids.org

![](_page_9_Picture_1.jpeg)

![](_page_9_Figure_2.jpeg)

![](_page_9_Picture_3.jpeg)